

Product Identifier: MIBItag Conjugation Kit (Y) Catalog ID number: 600089

SECTION 1 - IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Contact information

General	IONpath, Inc. 960 O'Brien Dr., Menlo Park, CA 94025 Main (U.S.): +1 (833) IONPATH (466-7284) E-mail: techsupport@IONpath.com
Emergency telephone number	CHEMTREC®, Inside the USA: 800-424-9300 CHEMTREC®, Outside the USA: 001-703-527-3887
Product identifier	MIBItag Conjugation Kit (Y)
Synonyms	None identified
Trade names	None identified
Chemical family	Lanthanide component Mixture - contains nitric acid and metal lanthanide Stabilization Buffer component Mixture – contains sodium azide Polymer component – contains diethylenetriaminepentaacetic acid
Relevant identified uses of the substance or mixture and uses advised against	For research use only. Not for use in diagnostic procedures.
Note	This SDS is written to address potential health and safety issues associated with the handling of the formulated product.

SECTION 2 - HAZARDS IDENTIFICATION

Classification of the substance or mixture Polymer component: diethylenetriaminepentaacetic acid: Globally Harmonized System [GHS] Polymer component: diethylenetriaminepentaacetic acid: Acute toxicity, Inhalation (Category 4), H332 Eye irritation (Category 2A), H319 Reproductive toxicity (Category 2), H361d Specific target organ toxicity – repeated exposure, Inhalation (Category 2), Respiratory Tract, H373

All other components: Not classified.

AU Hazard Classification Hazardous Substance. Non-hazardous goods. (NOHSC)

Label elements

GHS hazard pictogram

Polymer component -- diethylenetriaminepentaacetic acid:



All other components: None required



Catalog ID number: 600089 GHS signal word	Polymer component diethylenetriaminepentaacetic acid: Warning
	All other components: None required
GHS hazard statements	 Polymer component: diethylenetriaminepentaacetic acid: H319 Causes eye irritation. H332 Harmful if inhaled. H361d Suspected of damaging the unborn child. H373 May cause damage to organs (Respiratory Tract) through prolonged or repeated exposure.
	All other components: None required
GHS precautionary statements	 Polymer component: diethylenetriaminepentaacetic acid: P201 Obtain special instructions before use. P202 Do not handle until all safety precautions have been read and understood. P260 Do not breathe dust/fume/gas/mist/vapors/spray. P264 Wash skin thoroughly after handling. P271 Use only outdoors or in a well-ventilated area. P280 Wear protective gloves/protective clothing/eye protection. P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing Call a Poison Center / doctor if person is feeling unwell. P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P308 + P313 IF exposed or concerned: Get medical advice/attention. P337 + P313 IF eye irritation persists: Get medical advice/attention. P501 Dispose of contents/container to an approved waste disposal plant.
Other hazards	All other components: None required Stabilization Buffer component Mixture - contains sodium azide. The most common advers effects reported with exposure to sodium azide include dizziness, headache, nausea and vomiting, rapid breathing and heart rate, restlessness, weakness, runny nose, cough, and red eyes. Overexposure to sodium azide may cause convulsions, low blood pressure, loss of consciousness, lung injury, reduced heart rate, and potentially fatal respiratory failure. Inhalation of sodium azide may cause respiratory irritation.
	Other components - May cause eye/skin irritation. Mixtures not yet fully tested
Note	The mixtures are not classified as hazardous according to Regulation EC No 1272/ 2008 (EU CLP) and Hazard Communication Standard No. 1910.1200 (US OSHA). The pharmacological, toxicological and ecological properties of this mixture have not been fully characterized.

Ingredient	<u>CAS #</u>	EINECS/	Amount	<u>GHS</u>
		ELINCS#		Classification
<u>Lanthanide Metal Mixture</u> :				
Yttrium (III) Chloride	10025-94-2	N/A	1.5%	Not classified
Ammonium Acetate	631-61-8	211-162-9	<1%	EI2: H319; AA3: H402



Product Identifier: MIBItag Conjugation Kit (Y)

Stabilization Buffer Mixture:				ATO2: H300; AA1: H400; CA
Sodium Azide	26628-22-8	247-852-1	<0.1%	H410; EUH032
Polymer Component:				
Diethylenetriaminepentaacetic acid	67-43-6	200-652-8	60-70%	Acute Tox 4; Eye Irritant 2A;
				Repr. 2 ; STOT RE 2 ; H319,
				H332, H361D, H373

Note

Ammonium acetate and sodium azide are considered hazardous but are present at amounts below reportable limits. Yttrium (III) chloride is not considered hazardous. The remaining components are non-hazardous and/or present at amounts below reportable limits. See Section 16 for full text of GHS classifications.

SECTION 4 - FIRST AID MEASURES

Description of first aid measures	
Immediate Medical Attention Needed	Yes
Eye Contact	If easy to do, remove contact lenses, if worn. Immediately flush eyes with copious quantities of water for at least 15 minutes. If irritation occurs or persists, notify medical personnel and supervisor.
Skin Contact	Wash exposed area with soap and water and remove contaminated clothing/shoes. If irritation occurs or persists, notify medical personnel and supervisor.
Inhalation	Immediately move exposed subject to fresh air. If not breathing, give artificial respiration. If breathing is labored, administer oxygen. Immediately notify medical personnel and supervisor.
Ingestion	Do not induce vomiting unless directed by medical personnel. Do not give anything to drink unless directed by medical personnel. Never give anything by mouth to an unconscious person. Notify medical personnel and supervisor.
Protection of first aid responders	See Section 8 for Exposure Controls/Personal Protection recommendations.
Most important symptoms and effects, both acute and delayed	
Indication of immediate medical attention and special treatment needed, if necessary	Stabilization Buffer contains low levels of sodium azide. Medical conditions aggravated by exposure None known or reported. Treat symptomatically and supportively. All other components: No data available.

SECTION 5 - FIREFIGHTING MEASURES

Extinguishing media	Use water spray (fog), foam, dry powder, or carbon dioxide, as appropriate for surrounding fire and materials.
Specific hazards arising from the substance or mixture	No information identified. May emit carbon monoxide, carbon dioxide, nitrogen-, chloride-, and metal-containing compounds.
Flammability/Explosivity	Not expected to be flammable or explosive.
Advice for firefighters	Wear full protective clothing and a self-contained breathing apparatus with a full facepiece operated in the pressure demand or other positive pressure mode. Decontaminate all equipment after use.



Product Identifier: MIBItag Conjugation Kit (Y) Catalog ID number: 600089

SECTION 6 - ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	If product is released or spilled, take proper precautions to minimize exposure by using appropriate personal protective equipment (see Section 8). Area should be adequately ventilated. Do not breathe mist/vapors/spray.
Environmental precautions	Do not empty into drains. Avoid release to the environment.
Methods and material for containment and cleaning up	If vials are crushed or broken, DO NOT CAUSE MATERIAL TO BECOME AIRBORNE. For small spills, soak up material with absorbent, e.g., paper towels or sweep without creating dust. For large spills, cordon off spill area and minimize the spreading of spilled material. Soak up material with absorbent or sweep without creating dust. Collect spilled material, absorbent, and rinse water into suitable containers for proper disposal in accordance with applicable waste disposal regulations (see Section 13). Decontaminate the area twice.
Reference to other sections	See Sections 8 and 13 for more information.
SECTION 7 HANDLING A	ND STOPACE

SECTION 7 - HANDLING AND STORAGE

Precautions for safe handling	Follow recommendations for handling pharmaceutical agents (i.e., use of engineering controls and/or other personal protective equipment if needed). Avoid breathing vapor or mist. Do not permit eating/drinking/smoking near this material. All materials used for transferring or preparing this product must be considered contaminated and disposed of properly.
Conditions for safe storage including any incompatibilities	Keep from contact with clothing and other combustible materials. Store components at temperatures designated on their individual component labels. Avoid strong oxidizers. Store in tightly sealed containers that are appropriately labeled. Do not store in metal or glass containers. Do not store in direct sunlight. Do not store near organic substances.
Specific end use(s)	No information identified.

SECTION 8 - EXPOSURE CONTROLS/PERSONAL PROTECTION

ът	
N	ote

Dispose of broken vials/syringes in a sharps container.

Control Parameters/Occupational Exposure Limit Values Compound Issuer Type OEL Yttrium (III) Chloride Ammonium Acetate Sodium Azide ACGIH, Australia, Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Estonia, Finland, France, Greece, Hungary, Ireland, Italy, Latvia, Lithuania, Malta, Netherlands, Poland, Romania, Slovakia, Slovenia, Spain, Sweden, U.S California OSHA, United Kingdom New Zealand, Portugal Ceiling 0.29 mg/m ³		-F	· · · · ·		
Yttrium (III) Chloride Ammonium Acetate Sodium Azide ACGIH, Australia, Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Estonia, Finland, France, Greece, Hungary, Ireland, Italy, Latvia, Lithuania, Malta, Netherlands, Poland, Romania, Slovakia, Slovenia, Spain, Sweden, U.S California OSHA, United Kingdom	Parameters/Occupational				
Yttrium (III) Chloride Ammonium Acetate Sodium Azide ACGIH, Australia, Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Estonia, Finland, France, Greece, Hungary, Ireland, Italy, Latvia, Lithuania, Malta, Netherlands, Poland, Romania, Slovakia, Slovenia, Spain, Sweden, U.S California OSHA, United Kingdom	Compound	Issuer	Type	<u>OEL</u>	
Sodium Azide ACGIH, Australia, Austria, OEL-STEL 0.3 mg/ml ³ Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, 0.5 mg/ml ³ Estonia, Finland, France, Greece, Hungary, Ireland, 11aly, Latvia, Lithuania, Malta, Netherlands, Poland, Romania, Slovakia, Slovenia, Spain, Sweden, U.S California OSHA, United Kingdom 1100000000000000000000000000000000000	Yttrium (III) Chloride				
Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Estonia, Finland, France, Greece, Hungary, Ireland, Italy, Latvia, Lithuania, Malta, Netherlands, Poland, Romania, Slovakia, Slovenia, Spain, Sweden, U.S California OSHA, United Kingdom	Ammonium Acetate				
New Zealand, Portugal Ceiling 0.29 mg/m ³	Sodium Azide	Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Estonia, Finland, France, Greece, Hungary, Ireland, Italy, Latvia, Lithuania, Malta, Netherlands, Poland, Romania, Slovakia, Slovenia, Spain, Sweden, U.S California OSHA, United	OEL-STEL	0.3 mg/ml ³	
		<u>Q</u>	Ceiling	0.29 mg/m^3	



Product Identifier: MIBItag Conjugation Kit (Y) Catalog ID number: 600089

	ACGIH, Australia, Austria,	OEL-TWA	0.1 mg/m ³
	Belgium, Bulgaria, Croatia,		
	Cyprus, Czech Republic,		
	Denmark, Estonia, Finland,		
	France, Greece, Hungary,		
	Ireland, Italy, Latvia,		
	Lithuania, Malta,		
	Netherlands, Poland,		
	Romania, Slovakia, Slovenia,		
	Spain, Sweden, U.S		
	California OSHA, United		
	Kingdom		
	NIOSH, U.S California	Ceiling	0.3 mg/m^3
	OSHA	_	-
	Germany	OEL-STEL	0.4 mg/m ³
	Germany	OEL-TWA	0.2 mg/m ³
Diethylenetriaminepentaacetic acid			

Exposure/Engineering controls	Selection and use of containment devices and personal protective equipment should be based on a risk assessment of exposure potential. Use local exhaust and/or enclosure at mist/ aerosol/spray-generating points. Emphasis is to be placed on closed material transfer systems and process containment, with limited open handling. High- energy operations such as spraying or fluidizing should be done within an approved emission control or containment system.
Respiratory protection	Choice of respiratory protection should be appropriate to the task and the level of existing engineering controls. For routine handling tasks, an approved and properly fitted air-purifying respirator with appropriate HEPA filters should provide ancillary protection based on the known or foreseeable limitations of existing engineering controls. Use a powered air-purifying respirator equipped with appropriate HEPA filters or combination filters or a positive-pressure air-supplied respirator if there is any potential for an uncontrolled release, when exposure levels are not known, or in any other circumstances where a lower level of respiratory protection may not provide adequate protection.
Hand protection	Wear nitrile or other impervious gloves if skin contact is possible. When the material is dissolved or suspended in an organic solvent, wear gloves that provide protection against the solvent.
Skin protection	Wear appropriate gloves, lab coat, or other protective overgarment if skin contact is likely. Base the choice of skin protection on the job activity, potential for skin contact and solvents and reagents in use.
Eye/face protection	Wear safety glasses with side shields, chemical splash goggles, or full face shield, if necessary. Base the choice of protection on the job activity and potential for contact with eyes or face. An emergency eye wash station should be available.
Environmental Exposure Controls	Avoid release to the environment and operate within closed systems wherever practicable. Air and liquid emissions should be directed to appropriate pollution control devices. In case of spill, do not release to drains. Implement appropriate and effective emergency response procedures to prevent release or spread of contamination and to prevent inadvertent contact by personnel.
Other protective measures	Wash hands in the event of contact with this product/mixture, especially before eating, drinking or smoking. Protective equipment is not to be worn outside the work area (e.g., in common areas or out-of-doors).



Product Identifier: MIBItag Conjugation Kit (Y) Catalog ID number: 600089 SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

1	Appearance	Clear liquids or powder
(Color	Colorless
(Odor	Odorless
(Odor threshold	No information identified.
1	pH	No information identified.
	Melting point/freezing point	No information identified.
	Initial boiling point and boiling range	No information identified.
]	Flash point	No information identified.
]	Evaporation rate	No information identified.
]	Flammability (solid, gas)	Not applicable.
	Upper/lower flammability or explosive limits	No information identified.
1	Vapor pressure	No information identified
1	Vapor density	No information identified.
]	Relative density	No information identified.
۲	Water solubility	Fully soluble in water.
9	Solvent solubility	No information identified.
	Partition coefficient (<i>n-</i> octanol/water)	No information identified.
1	Auto-ignition temperature	No information identified.
]	Decomposition temperature	No information identified.
1	Viscosity	No information identified.
]	Explosive properties	No information identified.
(Oxidizing properties	No information identified.
Oth	er information	
]	Molecular weight	Not applicable (Mixture)
]	Molecular formula	Not applicable (Mixture)

SECTION 10 - STABILITY AND REACTIVITY

Reactivity Not expected to be reactive. Chemical stability Stable under normal handling and storage conditions.



Product Identifier: MIBItag Conjugation Kit (Y) Catalog ID number: 600089				
Possibility of hazardous reactions	Not expected to occur.			
Conditions to avoid	Keep away from incompatible materials.			
Incompatible materials	Strong oxidizers.			
Hazardous decomposition products	Hydrogen chloride gas, metal oxides.			

SECTION 11 - TOXICOLOGICAL INFORMATION

Information	on	toxicological
effects		0

Route of entry

May be absorbed by inhalation, skin contact and ingestion.

cute toxicity	Turne	Route	Secolog	Dava
Compound	<u>Type</u>	Koute	<u>Species</u>	<u>Dose</u>
Yttrium (III) Chloride				
Ammonium Acetate	LD50	Intravenous	Mice	98 mg/kg
	LD50	Intraperitoneal	Rat	632 mg/kg
	LD ₅₀	Intraperitoneal	Mice	736 mg/kg
Sodium Azide	LD ₅₀	Oral	Rat	27 mg/kg
	LD ₅₀	Oral	Mouse	27 mg/kg
	LD ₅₀	Dermal	Rabbit	20 mg/kg
Diethylenetriaminepentaacetic acid	LD ₅₀	Oral	Rat	>2,000 mg/kg

Irritation/Corrosion Sensitization	Polymer component: Diethylenetriaminepentaacetic acid Skin – Rabbit Result: No skin irritation Eye – Rabbit Result: Eye irritation All other components: No studies identified. Polymer component: Diethylenetriaminepentaacetic acid
	Buchler Test – Guinea pig Did not cause sensitization on lab animals. (OECD Test Guidelines 406) All other components: No studies identified.
STOT-single exposure	No studies identified.
STOT-repeated exposure/Repeat-dose toxicity	No studies identified.
Reproductive toxicity	No studies identified. Polymer component: Diethylenetriaminepentaacetic acid is a suspected human reproductive toxicant suspected of damaging the unborn child.



Product Identifier: MIBItag Conjugation Kit (Y)

Catalog ID number: 600089 Developmental toxicity	Polymer component: Diethylenetriaminepentaacetic acid Rat – Oral Specific Developmental Abnormalities: Musculoskeletal system. All other components: No studies identified.
Genotoxicity	No studies identified.
Carcinogenicity	No studies identified. The ingredients in these mixtures are not listed by NTP, IARC, ACGIH or OSHA as a carcinogen.
Aspiration hazard	No data available.
Human health data	See Section 2 - "Other hazards"

SECTION 12 - ECOLOGICAL INFORMATION

Toxicity				
Compound		<u>Type</u>	Species	Concentration
Yttrium (III) Chloride				
Ammonium Acetate		LC ₅₀ /48h	Cyprinus carpio	1.06 mg/L
Sodium Azide		LC ₅₀ /96h	Oncorhynchus mykiss	0.8 mg/L
		LC ₅₀ /96h	Lepomis macrochirus	0.7 mg/L
		LC ₅₀ /96h	Pimephales promelas	5.46 mg/L
Diethylenetriaminepentaacet	tic acid	LC ₅₀ /96h	Leuciscus idus	>100 mg/L
		EC ₅₀ /48h	Daphnia	245 mg/L
Persistence and Degradability Bioaccumulative potential	Biode All ot Polym Indica	gradability Biotic Result: not r her components: tion of bioaccumu	ethylenetriaminepentaacetic acid 2/Aerobic – Exposure time 28d 20 – 60% According to the results readily biodegradable No data identified. ethylenetriaminepentaacetic acid lation. No data identified.	of tests this product is
Mobility in soil	No da	ta identified.		
Results of PBT and vPvB assessment	Not p	erformed.		
Other adverse effects	No da	ta identified.		
Note	invest ingrec	igated. The above o lient(s) where appli	acteristics of this product/mixtures h data are for the active ingredients and cable. Although present at low conce de is present. Releases to the environ	l/or any other entrations, disposal should

SECTION 13 - DISPOSAL CONSIDERATIONS



Product Identifier: MIBItag Conjugation Kit (Y) Catalog ID number: 600089 Waste treatment methods Dispose of waste

Dispose of wastes in accordance to prescribed federal, state, and local guidelines, e.g., appropriately permitted chemical waste incinerator. Do not send down the drain or flush down the toilet. All wastes containing the material should be properly labeled. Rinse waters resulting from spill cleanups should be discharged in an environmentally safe manner, e.g., appropriately permitted municipal or on- site wastewater treatment facility.

SECTION 14 - TRANSPORT INFORMATION

Transport	Based on the available data, this product/mixture is not regulated as a hazardous material/dangerous good under EU ADR/RID, US DOT, Canada TDG, IATA, or IMDG.		
UN number	None assigned.		
UN proper shipping name	None assigned.		
Transport hazard classes and packing group	None assigned		
Environmental hazards	Based on the available data, this product/mixture is not regulated as an environmental hazard or a marine pollutant.		
Special precautions for users	Avoid release to the environment. No other special precautions needed.		
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.		
Hazardchem Code/HIN	None assigned.		

SECTION 15 - REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture	This SDS complies with the requirements under US, EU and GHS (EU CLP - Regulation EC No 1272/2008) guidelines. Consult your local/regional authorities for more information.
Chemical safety assessment	Not conducted.
WHMIS classification	Not classified.
TSCA status	Yttrium (III) chloride is not listed. Ammonium acetate and Sodium azide are listed.
SARA section 313	Sodium azide is listed. All other components: Not listed.
California proposition 65 Component Analysis – State	Not listed. Yttrium (III) chloride is not listed. Ammonium acetate is listed as hazardous in CA, HI, MA, NJ, and PA. Sodium azide is listed as hazardous in CA, HI, MA, MN, NJ, PA, RI, VT and WA.
Component Analysis – Chemical Inventory	Yttrium is listed in the chemical inventory of the following countries: Canada, EU, Japan, Korea, New Zealand, Taiwan and USA Ammonium acetate is listed in the chemical inventory of the following countries: Australia, Canada, China, EU, Japan, Korea, New Zealand, the Philippines, Taiwan and USA Sodium Azide is listed in the chemical inventory of the following countries: Australia, Canada, China, EU, Japan, Korea, New Zealand, the Philippines and USA
MIBItag Conjugation Kit (Y)	



Product Identifier: MIBItag Conjugation Kit (Y)

Catalog ID number: 600089

No other information identified.

Additional information

SECTION 16 - OTHER INFORMATION

NFPA Ratings	Yttrium (III) chloride	Health: 0	Fire: 0	Reactivity: 0
-	Ammonium acetate	Health: 2	Fire: 1	Reactivity: 0
	Sodium Azide	Health: 3	Fire: 0	Reactivity: 2
	Diethylenetriaminepentaacetic	Health: 2	Fire: 1	Reactivity: 0
	acid			
Sources of data	Information from published litera	ture and internal	company data.	
Abbreviations	 Information from published literature and internal company data. ACGIH - American Conference of Governmental Industrial Hygienists; ADR/RID - European Agreement Concerning the International Carriage of Dangerous Goods by Road/Rail; AIHA - American Industrial Hygiene Association; CA – California; CAS# - Chemical Abstract Services Number; CLP - Classification, Labelling, and Packaging of Substances and Mixtures; DNEL - Derived No Effect Level; DOT - Department of Transportation; EINECS - European Inventory of New and Existing Chemical Substances; ELINCS - European List of Notified Chemical Substances; EU - European Union; GHS - Globally Harmonized System of Classification and Labeling of Chemicals; HI – Hawaii; IARC - International Agency for Research on Cancer; IDLH - Immediately Dangerous to Life or Health; IATA - International Air Transport Association; IMDG - International Maritime Dangerous Goods; LOEL - Lowest Observed Effect Level; LOAEL - Lowest Observed Adverse Effect Level; MA – Massachusetts; NIOSH - The National Institute for Occupational Safety and Health; NJ – New Jersey; NOEL - No Observed Effect Level; NOAEL - No Observed Adverse Effect Level; NTP - National Toxicology Program; OEL - Occupational Exposure Limit; OSHA - Occupational Safety and Health Administration; PA – Pennsylvania; PNEC - Predicted No Effect Concentration; SARA - Superfund Amendments and Reauthorization Act; STEL - Short Term Exposure Limit; TDG - Transportation of Dangerous Goods; TSCA - Toxic Substances Control Act; TWA - Time Weighted Average; US – United States; WHMIS - Workplace Hazardous 			
Issue Date	22 FEB 2018			
Revisions	This is the first version of this SD	S.		
Disclaimer	The statements contained herein are offered for informational purposes only and are based upon our present state of knowledge. It is applicable to the product with regard to appropriate safety precautions. IONpath Inc. believes them to be accurate at the date of publication but does not purport to be all-inclusive and shall be used only as a guide. The above-stated product is intended for use only by persons having the necessary technical skills and facilities for handling the product at their discretion and risk. Since conditions and manner of use are outside our control, we (IONpath Inc.) make no warranty of merchantability or any such warranty, express or implied with respect to information and we assume no liability resulting from the above product or its use. Users should perform their own investigations to determine suitability of information and product for their particular purposes.			product with regard accurate at the be used only as a having the eir discretion and (IONpath Inc.) or implied with above product or